

VectoPrime® FG

BIOLOGICAL LARVICIDE

FINE GRANULE

MADE WITH



ACTIVE INGREDIENT:

Bacillus thuringiensis, subsp. *israelensis*, strain AM 65-52

fermentation solids, spores, and insecticidal toxins 6.07%

(S)-methoprene 0.10%

OTHER INGREDIENTS 93.83%

TOTAL 100.00%

Potency: 400 International Toxic Units (ITU) per mg or 0.182 billion ITU per pound

The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

EPA Reg. No.73049-501

EPA Est. No. 33762-IA-001

List No. 05725

INDEX:

- 1.0 First Aid
- 2.0 Precautionary Statements
 - 2.1 Hazard to Humans and Domestic Animals
 - 2.2 Environmental Hazards
- 3.0 Directions for Use
- 4.0 Application Directions
- 5.0 Storage and Disposal
- 6.0 Notice to User

KEEP OUT OF REACH OF CHILDREN CAUTION

1.0

FIRST AID

If in eyes

- Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-315-9819 (24 hours) for emergency medical treatment and/or transport emergency information. For all other information, call 1-800-323-9597.

2.0 PRECAUTIONARY STATEMENTS

2.1 Hazards To Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Mixers/loaders and applicators not in enclosed cabs or aircraft must wear a dust/mist respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

2.2 Environmental Hazards

Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply directly to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

3.0 DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform mosquito control applications, or by persons under their direct supervision.

IN CALIFORNIA: This product is to be applied by County Health Department, State Department of Health Services, Mosquito and Vector Control or Mosquito Abatement District personnel, or persons under contract to these entities only.

4.0 APPLICATION DIRECTIONS

VectoPrime® FG Biological Larvicide is an insecticide for use against mosquito larvae.

Mosquito Habitats

Application Rate Range*

(Such as the following examples):

Irrigation ditches, roadside ditches, flood water, standing ponds, livestock watering ponds and troughs, woodland pools, snow melt pools, pastures, catch basins, storm water retention areas, tidal water, salt marshes and rice fields	1.25 - 20.0 lbs/acre*
---	--------------------------

In addition, standing water containing mosquito larvae, in fields growing crops such as (but not limited to) alfalfa, almonds, asparagus, corn, cotton, dates, grapes, peaches, sugar cane and walnuts may be treated at the recommended rates.

* Post-flood Applications

Use 1.25-4.0 lbs/acre against 1st-4th instar mosquito larvae. Use 4.0-10.0 lbs/acre when water is heavily polluted (e.g. sewage lagoons, animal waste lagoons), algae are abundant, and/or local experience suggests the need for higher rates. Re-treat as needed based on local conditions.

* Pre-flood Applications

VectoPrime FG can be applied prior to flooding of mosquito larval habitats. Use 10-20 lbs/acre when up to 7 days pre-flood capacity is needed. Use 20 lbs/acre when a 7-14 day pre-flood application is needed. Dry-down/re-flood capacity of VectoPrime FG depends on local conditions/experience. Retreat as needed. Consult your local Valent BioSciences representative for further advice on pre-flood applications with VectoPrime FG.

4.0 APPLICATION DIRECTIONS (Cont'd)

Apply uniformly by aerial or ground conventional equipment. Avoiding drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for drift. The applicator and the treatment coordinator are responsible for considering all of these factors when making decisions.

5.0 STORAGE AND DISPOSAL

Do not contaminate potable water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place.

Pesticide Disposal: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by State and local ordinances. If burned, stay out of smoke.

6.0 NOTICE TO USER

To the extent consistent with applicable law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning use of this product other than as indicated on the label. To the extent consistent with applicable law, user assumes all risks of use, storage or handling not in strict accordance with the accompanying directions.

VectoPrime is a registered trademark of Valent BioSciences LLC.

44-1024/R2

(Pkg. 23-0700/R5 A)

©2022

